

**TORO.**

Count on it.

# Pro Sweep™ 5200



**TORO** Count on it.

# Say goodbye to cores.

## *Pro Sweep 5200*

- 52" (132 cm) sweeping width
- Ground-following design
- Tow behind and offset collection positions
- 25 cu. ft. (.71 cu. meters) hopper
- High-lift dump system

Aeration cores and other turf debris need to go somewhere. And that somewhere is the hopper of a Toro® Pro Sweep™ 5200. Faster and more effective than traditional methods of collecting cores and debris, the 5200 sweeps greens, sports fields or any turf clean. If you're looking to bring efficiency into your turf sweeping process, and return to play sooner, invest in a Toro Pro Sweep 5200.



Shown with optional windrow kit.

## **Count on Innovation**

### **A clean sweep.**

The Pro Sweep works remarkably well on undulating terrain. That's the result of a floating sweeper head that pivots side-to-side and a sub frame that pivots front-to-back. Together they allow the sweeper to accurately follow contours on uneven terrain.





## More time to play.

The Pro Sweep saves time and labor costs while getting your field or golf course back into play faster. By sweeping up cores almost as fast as you pull them, turf can be topdressed and ready for play in no time. The offset collection position keeps the tow vehicle from running over cores before they reach the sweeper. In addition, the windrow kit pushes cores away from the Pro Sweep's tire so you won't crush them. The hopper holds enough cores to sweep most greens and features a high-lift dump so you only need to handle material once. An innovative adjustment system allows for fast, precise brush height adjustment to accommodate a variety of turf conditions.



The standard control box mounts in the operator area of your Workman.



Add the optional electric offset to shift between the transport position and the collect position on the fly.

## Accessories

Windrow kit



Tire scrapers



Electric offset arm



Jack stand



## Specifications for Pro Sweep™ 5200

### Power & Towing Requirements

**Utility vehicle:** 8 gpm (30.3 liters/min.) @ 2000 psi  
**Tractor:** 25 hp (18.6 kW) minimum  
**Hitch:** 3/4" (1.9 cm) hitch pin with safety linchpin  
(Workman® vehicles require the heavy-duty draw bar and high-flow hydraulics kit.)

### Collection System

**Type:** Hydraulic-powered rotary brush  
**Sweeping width:** 52" (132 cm)  
**Roller:** 6" (15.2 cm) diameter, full-width, adjustable  
**Ground following:** Floating brush housing  
**Collect position:** Tow directly behind or offset to the side of the vehicle, optional electric tongue offset kit  
**Traction:** Pivoting sub frame allows for positive tongue weight

### Hopper

**Capacity:** 25 cu. ft. (.71 cu. meters)  
**Lift:** Hydraulic powered lift cylinder, high-lift

### Operating Speed

**Forward sweeping:** 0-4 mph (0-6.4 km/h), infinitely variable  
**Forward transport:** 0-15 mph (0-24 km/h)

### Dimensions & Weight

**Height:** 68" (173 cm)  
**Length:** 145" (368 cm)  
**Width:** 87" (221 cm)  
**Dump height clearance:** 68" (173 cm)  
**Weight:** 1,512 lbs. (686 kgs) empty  
**Tires:** 26.5 x 14-12 (67.3 x 35.6-30.5 cm)

### Options

Electric offset, windrow kit, brake kit, tire scrapers, jack stand

**Warranty:** Two-year, comprehensive

## TORO® PROFESSIONAL SERVICES

**Toro Financing** A full service offering for all your equipment and irrigation purchases. Flexible financing options can be tailored to meet your operational needs.

**Toro Protection Plus Extended Protection Plan** Protect your budget and your equipment investment. Plans are available for both new and used equipment, and you can choose from various terms to fit your financing terms.

**Toro Genuine Parts** Keep the productivity and performance of your equipment at its peak. Learn about Performance Parts pricing and MVP kits. Find replacement parts online at [Toro.com/partsviewer](http://Toro.com/partsviewer).

**Toro Training** Toro Factory Service Schools are available. Explore the training and customer care areas of [Toro.com](http://Toro.com) and [ToroNSN.com](http://ToroNSN.com) for readily available education and training materials.

**Toro Controller Repair** Provides irrigation controller boards ready for immediate board exchange to assure that downtime is minimal and your turf stays protected. Toro is the choice for reliability.

**Toro NSN®** An industry-first support network that provides reliable, around-the-clock irrigation central control system troubleshooting and operation assistance. Call 1-800-ASK-TORO.

Products depicted in this brochure are for demonstration purposes only.  
Actual products offered for sale may vary.  
©2005 The Toro Company, 8111 Lyndale Ave. S., Bloomington, MN 55420-1196  
Part No. 05-085-T. Printed in U.S.A.

[Toro.com](http://Toro.com)



**Count on it.**